

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

LIBRARY
 RECEIVED
 1927 ★

1929 Spring New Plants

Callicarpa purpurea (dichotoma)—3' dense shrub with small violet purple berries in bunches during September, on growth of present year, fine plants, \$1.

Callicarpa giraldiana—A new variety from China, larger and hardier than above, although both are hardy here. Scarce, small plants, \$2.

Chrysanthemum coreana—A new fall blooming single chrysanthemum with shasta daisy-like flowers after the first frost, 2' white stiff stemmed flowers, blooms first year always, \$1 dozen.

Hedera helix var. Baltica—An English ivy hardier than any. Does well on north walls or ground here, fine plants, \$1.

Thalictrum delavayi—2', pale purple, damp, 35c.

Ten kinds fine rare wild flower seeds from Utah now ready, \$1, a bargain

Cotoneaster wilsoni—About 2' high and much wider, a more upright cotoneaster horizontalis with finer red berries, 1' plants in pots (hard to move otherwise), \$1.

Philadelphus wilsoni, fragrant, \$1.

Populus alba richardi—Large shrub with leaves golden yellow above and silvery white beneath. A nice bright spot in a shrubbery group at all times, \$1.

Pyrethrum "Florence Shadley"—Sold out last year, 75c.

Viburnum tomentosum plicatum, doublefile viburnum—Somewhat like the common snowball bush, flowers are smaller but in larger groups, and do not hang down so badly in a rainy season, 2-3' bushy plants, \$1.

Good Rockery Plants

Aubretia "Crimson King"—A dark red form of the common creeping white aubretia, in pots, 50c.

Campanula lauri—A new good one. Somewhat like *C. rotundifolia* but the lavender flowers are upright and the 10" plant is wider, 35c.

Clematis tangutica, golden clematis—A woody slow climber that creeps well on a large rockery, new and unusually good thing from China in 1910, inch wide rather globular shaped yellow flowers in August, \$1.

Dianthus deltoides, "Maj. Stearne"—Dark foliage, brilliant crimson, 30c.

Dianthus caesius, Baker's variety—Deep pink, 6" high, for dry rockery, 30c.

Epilobium nummularifolia, 25c.

Galax aphylla—Big round leaves in a circle on ground, very green in summer, very pretty bronze in autumn, for shady woods, 25c each, \$1.25 doz.

Jasione perennis—Small tufts of leaves with 10" stems of fluffy azure blue flowers July. Sandy soil. Fine plants, 25c.

Micromeria chamissonis (douglasi)—Fast fragrant foliaged creeper for sun or shade, looks like linnaea but does well anywhere, 35c.

Phlox procumbens caerulea—A new creeping phlox with light lavender fragrant flowers and large oval leaves. Creeps fast and for a rockery or a mass not over 4" high it's a wonder, 30c.

Sedum acre minor—An inch high green, fleshy leaved mass, for sun and poor soil, half size of the common sedum, sun, 30c.

Sedum album purpureum—A purple leaved form of album, 40c.

Sedum divergens—Has round fleshy bead-like leaves on brown stems, all turning coral red in autumn, slow creeper from British Columbia, flowers yellow, very valuable, 30c.

Sedum ellacombianum—An oval leaved slow creeper from Japan, doing well on poor soil in sun, in spring leaves are a cheerful green rosette, in late autumn they turn a brilliant red, 30c.

Sedum ewersi—Round leaved creeper from Mongolia, flowers purple in summer, 25c.

Sedum ewersi homophyllum—Half size variety of above, 50c.

Sedum lydium—This low neat evergreen creeper sold out last year, I bought a new supply and have nice plants at 25c.

Sedum nevi—Pale green creeper liking some shade and moisture, white flowers on 4" stems, small, neat, a native of the Central states, 25c.

Thalictrum minor—Foliage resembles Columbine or Maidenhair fern, 1' spikes of feathery, ivory flowers. Will tolerate dampness and shade, 25c.

Thalictrum fendleri } Seed only, 25c a pkt.
Pentstemon eatoni }

Any person having improved plants or good wild plants to sell can market them through my organization.

FRANK W. CAMPBELL, 7521 Dunedin St., Detroit



Very Hardy Wild Plants

A great many of these plants come from two lakes which are drying up fast and thus have a changing plant life on their edges. No water loving plants are taken from dirty ditches and anyway it is easier to take them from the receding lakes.

I have a list of 600 fine native plants from different states that will gradually be made available as demand develops. If in need of any special plant ask for it.

Illustrations and long descriptions are not given as most people order by items selected from wild flower books in libraries.

Seed of any plant will be collected when arrangements are made in advance.

' denotes feet, " denotes inches.

Acid and alkaline nature of soil is absolutely essential to well being of some plants, and is mentioned when known. N means neutral, or an excess of neither.

A general idea of the situation in which the plant is grown in the wild helps, but most plants will fit conditions somewhat different.

Allium tricoccum, Wood leek..... 1.00 5.00 20.00

Shady ravines, damp meadows, fls. white July, 8-12"

Anaphalis margaritacea, Pearl everlasting..... 1.00 5.00 20.00

High, well drained, fls. "everlasting" white July-Oct., 18"

Anemone canadensis, Meadow anemone..... 1.25 6.00 25.00

N-Low moist loam, some shade, fls. white like a large

buttercup June-July

Anemone cylindrica, Candle anemone..... 1.25 6.00 25.00

N-Low stiff soil, fls. greenish white June-Aug., 2"

Anemone quinquefolia, American wood anemone.. 1.00 5.00 20.00

Low moist open woods, sun, fls. white early, 4-8"

Anemonella thalictroides, "Rue anemone"..... 2.00 6.00 30.00

Likes old stumps, fls. white to pink May, 6", roots fleshy

Antennaria dioica, Pussy toes..... 1.00 5.00 20.00

N-Sandy loam, full sun, 2", cottony tufts on short stems

Aquilegia canadensis, American wild columbine... 1.00 5.00 20.00

N-Low moist loam, sun or shade, fls. yellow and red, June, 1-2"

Arctostaphylos uva-ursi, Bearberry..... 2.50 10.00 50.00

Ac-Sand barrens, windswept beaches, well-drained, fls. white,

shrubby evergreen creeper that is a good sand retainer, fine.

Arisaema triphyllum, Jack-in-the-pulpit..... 1.00 5.00 20.00

N-Low moist loam, part shade, fls. June, fine red berries Aug.-Sept.

Asarum canadense, Canada wild ginger..... 1.00 5.00 20.00

Low moist loam under shrubs, brown fls., May-June, creeper

Calla palustris, Wild calla..... 1.00 5.00 20.00

Shallow water, sun, fls. white like calla, very hardy, 8"

Caltha palustris, Marshmarigold..... 1.00 5.00 20.00

Wet slopes or swamp edges, fls. yellow early, 8", showy

Campanula rotundifolia, Harebell..... 1.25 6.00 25.00

Sandy, sun, fls. light blue July-Sept., 1-2", very hardy, fine

Chimaphila umbellata, Common pipsissewa,..... 1.00 5.00 20.00

Ac-Dry light loam, shade, pink fls. July-Aug., 8-10"

Chrysanthemum leucanthemum, Oxeye daisy..... .50 2.50 10.00

Cilnthonia borealis, Bluebead..... 1.00 5.00 20.00

Low sandy loam, sun or shade, fls. yellow June-Aug.,

6-18", blue berries

Cornus canadensis, Bunchberry..... 1.00 5.00 20.00

Ac-Well drained sandy loam, part shade, fls. large white June,

red berries in Aug., 4-8", slow creeper for a valuable undergrowth

Corydalis sempervirens, Pale corydalis..... 1.00 5.00 20.00

N-Low sandy loam, sun or shade, fls. rose tipped yellow

in clusters May-Sept., probably biennial but seeds freely

CYPRIPEDIUM

Cypripedium spectabile (hirsutum or reginae)

Showy lady's slipper..... 3.50 16.00

Dalibarda repens, "Creeping dalibarda"..... 2.00 5.00 40.00

Wet logs to sandy woods, fls. white July, neat creeper

Dentaria diphylloa, Crinkleroot, "Toothwort"..... 1.00 5.00 20.00

Low sandy loam, shade, fls. white May, 10", root edible

Dentaria laciniata, Cut toothwort..... 1.00 5.00 20.00

Low sandy loam or woods soil, fls. white May, 10", plant 3" deep

Dicentra canadensis, Squirrelcorn..... 1.00 5.00 20.00

Ac-Shady woods, fls. white or greenish tinged pink, 8"

fragrant, root a yellow corn like a grain of corn, neat foliage

Euonymus obovatus, Running euonymus..... 1.50 10.00

Evergreen creeper for shade, red berries.

Erythronium americanum, Common trout lily..... 1.00 5.00 20.00

Ac-Low sand or leafmold, shade, nodding yellow fls. May,

5-10", plant the small bulbs 3" deep, spotted leaves

Eupatorium purpureum, Joe-pye-weed..... 1.25 6.00 25.00

N-Low sandy loam, sun, fls. pink Aug.-Sept., 2-5"

Gaultheria procumbens, Wintergreen..... 1.00 5.00 20.00

Ac-Dry sandy loam, evergreen creeper, red berries

Gentiana crinita, Fringed gentian, seed now, kept damp in peat. 25c

Ac-Biennial, seed must never be dry after picking, 1-3"

Goodyera pubescens, Downy rattlesnake-plantain.. 2.00 10.00

Acid or N-Mossy deep shade of hemlock woods, 8-12"

Hepatica triloba, Roundlobe hepatica, "Liverwort" 1.00 5.00 20.00

Ac-Shady woods in old leaves, fls. white or lavender April,

forces easy

Iris cristata, Crested iris..... 1.50 7.00 30.00

Iris versicolor, Blueflag iris..... 1.00 5.00 20.00

Isopyrum biternatum..... 1.50 7.00 30.00

Low land, part shade, fls. white May-June, 2-6", deep cut leaves

Kalmia angustifolia, Lambkill, "Sheep laurel".... 1.50 7.00 30.00

Ac-Swamp edges, moist muck, sun, fls. magneta Aug.,

evergreen shrub

Lathyrus maritimus, Beach pea..... 1.25 6.00 25.00

Alk or N-Sandy shores of lakes, sun, fls. purple June-Aug.,

good massed on sand inclined to drift, seed prices on request

Ledum groenlandicum, True labrador-tea..... 2.00 10.00 50.00

Ac-Swamp edges, sun, fls. white May-Aug., 1-3', evergreen

shrub, fragrant leaves, very hardy, lasts a lifetime

Liatris scariosa, "Blazing star"..... 1.00 5.00 20.00

Sand barren, light soil, sun, fls. purple July-Aug.

1-2', forces well

Linaria vulgaris, Common toadflax..... 1.00 5.00 20.00

Lilium philadelphicum, Orange cup wood lily..... 2.50 10.00

Ac or N-Barren sand or good garden loam, sun or some

shade, upright cheerful orange fls. July-Aug., plant the

small bulbs 3" deep

Linnaea borealis americana, Twinflower..... 1.00 5.00 20.00

Ac-Light dry soil in shade, evergreen, fls. white creeper

Menyanthes trifoliata, Hogbean..... 1.50 7.00 30.00

Muck bottom swamps, 2-6" water, sun, fls. white

Mimulus ringens, Allegheny Monkey-flower..... 25c each

Ac or N-Peat and mud on swamp edges, fls. purple July-

Aug., 1-3'

Mitchella repens, Partridgeberry..... 1.00 5.00 20.00

Ac-Leafmold or sandy, fls. white, big red berries later,

fine evergreen creeper in shade, nice window box creeper

for cool winter use

Oenothera biennis, Common evening-primrose..... 1.00 5.00 20.00

Oxalis corniculata, Creeping oxalis—yellow..... 1.00 5.00 20.00

Ac or N-Low land, sun or shade, fls. yellow May-Sept., 6-8"

Pentstemon laevigatus, Smooth pentstemon..... 1.20 8.00 50.00

N-Sandy loam, dry or damp, sun, fls. lavender white July, 1-3'

Polygala paucifolia, Fringed polygala..... 1.50 7.00 30.00

Ac-Sandy loam in shady woods, fls. crimson July-Aug.

Polygonatum biflorum, Small solomonseal..... 1.50 7.00 30.00

Shady sandy loam, bluish black berries autumn, 6-12"

Pyrola elliptica, Shinleaf..... 1.00 5.00 20.00

Ac-Dry sandy shady woods, fls. white June-July, 6-8"

Pyrola rotundifolia, European pyrola, "Round leaf" 1.00 5.00 20.00

Ac-Dry sandy woods, shade, fls. white June-July, similar

to elliptica but easier

Trientalis americana, American starflower..... 1.00 5.00 20.00

Ac-Shady leafmold, fls. white June, 6"

Trillium cernuum, Nodding trillium..... 1.00 5.00 20.00

Ac-Low sandy loam, fls. white or pink, 8-12", plant 3" deep

Trillium erectum, Purple trillium..... 1.00 5.00 20.00

Ac-Moist woods, fls. purplish red, 8-16"

Trillium grandiflorum, Snow trillium..... 1.00 5.00 20.00

Ac-Moist, partial shade, fls. white to pink, 10-15", plant 8-12" deep

In April I will have a printed list of 150 additional items which will be sent on request.

Any 10 plants you select (except cypripedium), for \$2. Not less than 12 sold otherwise

Lodense Privet

Low edgings or dwarf hedges easily kept to any size have been unobtainable in Detroit until the introduction of Lodense privet. It can be kept to 6" or up as desired, or single plants left untrimmed make a fine round dense ball. In a general way as usable as boxwood is further south. Very hardy in open field where catalpa and ailanthus are not hardy. In the more sheltered city it is evergreen until Christmas. Special planting instructions sent with each order. Large single specimens, 50c. Hedging size, 10c per running foot of hedge. Special price on 300 feet or over.

Good Things

Aronia melanocarpa, black chokeberry—A native 3' shrub near edge of damp woods, but does well anywhere, small white blossoms in spring and plentiful bunches of black fruit in August, which birds like. Berries first year, a few large ones, \$1.50.

Cotoneaster acutifolia—Extremely hardy upright shrub to 6' used for wind-break on poor soil. Makes fine individual specimens also. Big black berries loved by birds and fine yellow leaves in autumn. Only small plants should be used as it has a deep tap root. 18" plants, 50c; \$3.00 dozen.

Paeonies—200 varieties, visit them when in bloom and pick your plant for autumn delivery.

Salix caprea, Goat willow—A bushy "pussy willow" with larger heads than most, either damp or dry situation suits it, 30" plants, 50c.

Siberian iris—My two-year plants will be in fine bloom in late June and local people should not miss this rather neglected plant. Estates should have masses of it as it does well on low ground.

Quarter off on 1928 catalog prices on orders accompanied by cash. All wild plants are net, no discount. Checks accepted.

Some of my rare items are on a waiting list that will not be filled in two years likely, as an instance of why I say "Order Now."

If you wish future lists write, asking for them

Nuts of DAVIDIA INVOLUCRATA (Dove Tree) 3-5 Seeds in Each Nut 75c each, just in from China, small trees sell at \$7.50 up, but none are in stock now

Oregon Plants and Seeds

These Oregon seeds are ready at present writing (Feb. 11). Plants will be shipped in proper season. Plants 50c each or \$4 doz. Seed 25c packet. On orders above \$10, 25% discount. This is a list of rarely good items.

- Aconitum columbianum*, damp, blue purple, 1-4'.
Anemone deltoidea, loose soil, shade, pure white May, spreads by runners, 6-10".
Anemone occidentalis, sandy, sun, white, ferny foliage, ornamental seed head.
Asarum caudatum, moist, very shady, maroon.
Asarum hartwegi, shade, maroon, leaf mottled.
Brodiaea congesta, dry, blue, 1-2'.
Brodiaea grandiflora, very dry, deep blue, 6".
Brodiaea lactea, moist shade or ordinary soil, white striped green, 12-18".
Calochortus lilacinus, damp, seashell pink, 2-4".
Calochortus maweanus, white tinted, 4-6".
Campanula scouleri, loose soil, pale blue, dainty fine creeper.
Cynoglossum grande, dry, slight shade, like a large forget-me-not, 1-2'.
Dodecatheon hendersoni, acid, rose to crimson, rock garden in sun, 6-10".
Erigeron compositus, sun, white, 1-2'.
Erigeron compositus var. *trifidus*, sandy, sun, large white flowers, 3".
Erigeron radiceatus, sandy, sun, 2", blue.
Erigeron salsuginosus, Alaska fleabane, shade or moist meadow in sun, large blue daisy, 6-12".
Eriogonum ovalifolium, sandy, sun, pink, 3", leaf white.
Eriogonum umbellatum, bright yellow, 6".
Eriophyllum caespitosum, Oregon sunshine, dry, sun, yellow, 6-10".
Erythronium giganteum, acid, dry or moist, white, mottled leaf, 6-10".
Gilia grandiflora, annual, salmon pink, 1-3'.
Fritillaria recurva, red, for rock garden, 1-2'.
Grossularia roezlii, dark red fuchsia-like flower, shrub, 1-3'.
Iris bracteata, deep yellow, 6".
Iris chrysophylla, white or yellow, 3-9".
Lilium bolanderi, thimble lily, red July, 1-4'.
Lilium pardalinum roezlii, bogs, fls. red July, 1-4'.
Lappula nervosa, forget-me-not like, 1-2'.
Lupinus lyali, 4", scarce.
Lupinus ornatus, well drained, sun, blue, shrubby, 8-12".
Lupinus rivularis, moist, lavender, 2-4'.
Mertensia ciliata (siberica), Mountain bluebells, damp, shade, blue, 1-2'.
Paeonia browni, America's only native paeony, 6-8".
Pentstemon confertus var. *caerulea-purpureus*, sand, bright blue spotted pink, 6".
Pentstemon deustus, shrubby evergreen creeper for dry rockery.
Pentstemon laetus, dry or ordinary garden soil, bright blue, 6-12".
Pentstemon menziesii, garden soil, blue with pink throat, 3" creeper, evergreen.
Pentstemon rupicola, dry rocks in sun, creeper, rose.
Ribes glutinosum, incense shrub, very moist spot, red flowering currant, 4-6'.
Sedum spathulifolium, dwarf, bright yellow.
Silene hookeri, pink, fringed, 2-4", long blooming.
Smilacina amplexicaulis, shade, 2'.
Trillium rivale, acid, white spotted maroon, shade, 4-6".
Viola nuttali, yellow, downy leaves, 3-6".

A larger list of seeds from other Rocky Mountain states is available to those who write for it.

Extra Large Specimens

Extra large specimens of some shrubs are on hand. For those who wish largeness first year, here is a delight. Quantity limited.

Caragana pygmaea or Dwarf pea-shrub—\$2.

Caryopteris mongoliensis—For dry sunny spot, in pots, \$2.

Caryopteris tangutica—Neat habit and shrubby growth with slender arching branches covered from July on with many small, partly concealed flowers of a very pleasing and distinct light blue. Cheaper, but smaller flowers than above. 75c.

Cercidiphyllum japonica or Katsura-tree—5-6' specimens, \$3.

Evodia hupehense—4' bushy, \$4.

Hamamelis vernalis or Vernal witch hazel—4-5' bushy ones, \$2.50.

Lonicera heckroti or Everblooming honeysuckle—4' fine plants, \$1.50.

Lonicera tragophylla—Climbing 20' easily. Bronze foliage, handsome light yellow 3" flowers in bunches, largest flower of any honeysuckle hardy here. 4' plants, \$3.

Shepherdia argentea or Silver buffaloberry—4' bushy, \$2.

Spirae trichocarpa—Bushier and a little later flowering than the common *S. Vanhouttei*. Hardly so tall and flowers are larger, 4', \$2.

Spirae veitchi—Taller than *S. Vanhouttei*. Very late. A valuable one. 4', \$3.

Symphoricarpus chenaulti—Bushier and finer leaved shrub than the ordinary indian currant or snowberry. 2' fine specimens, \$1.50.

Syringa pekinensis or Pekin lilac—4-5', \$3.

Above sizes are about the limit in which they move easily. *Caryopteris* are fine specimens in pots, bloom first year.